

3 А Д А Ч А № 1

Please, value thyroid status. Your conclusion should be for four positions:

FT₄ - 13 pmol / L, TSH - 12 mU / L, TPO-Ab- 1246.

1. type of disfunction (hypo- or hyperthyroidism)
2. primary (thyroid gland injure) or central (hypophysis injure)
3. manifestal (with clinical symptoms) or subclinical (without symptoms)
4. autoimmune or unimunine genesis

3 А Д А Ч А № 2

Please, value thyroid status. Your conclusion should be for four positions.

FT₄ - 18 pmol / L, TSH - 0,03mU/L, TPO-Ab- 5.

1. type of disfunction (hypo- or hyperthyroidism)
2. primary (thyroid gland injure) or central (hypophysis injure)
3. manifestal (with clinical symptoms) or subclinical (without symptoms)
4. autoimmune or unimunine genesis

3 А Д А Ч А № 3

Please, value thyroid status. Your conclusion should be for four positions.

FT₄ - 42 pmol/l, TSH - 113 mU/L, TPO-Ab- 0,5.

1. type of disfunction (hypo- or hyperthyroidism)
2. primary (thyroid gland injure) or central (hypophysis injure)
3. manifestal (with clinical symptoms) or subclinical (without symptoms)
4. autoimmune or unimunine genesis

3 А Д А Ч А № 4

Please, value thyroid status. Your conclusion should be for four positions.

FT₃ - 5, 2 pmol/l, FT₄ - 59 nmol/l, TSH – 0,005 mU/L, TPO-Ab- 12.

1. type of disfunction (hypo- or hyperthyroidism)
2. primary (thyroid gland injure) or central (hypophysis injure)
3. manifestal (with clinical symptoms) or subclinical (without symptoms)
4. autoimmune or unimunine genesis

3 А Д А Ч А № 5

Please, value thyroid status. Your conclusion should be for four positions.

FT₄ – 1,2 pmol / L, TSH - 97 mU/L, TPO-Ab- 0,8.

1. type of disfunction (hypo- or hyperthyroidism)
2. primary (thyroid gland injure) or central (hypophysis injure)
3. manifestal (with clinical symptoms) or subclinical (without symptoms)
4. autoimmune or unimunine genesis

3 А Д А Ч А № 6

Please, value thyroid status. Your conclusion should be for four positions.

FT₄ - 2 pmol / L, TSH - 0,08 mU/L, TPO-Ab- 2.

1. type of disfunction (hypo- or hyperthyroidism)
2. primary (thyroid gland injure) or central (hypophysis injure)
3. manifestal (with clinical symptoms) or subclinical (without symptoms)
4. autoimmune or unimunine genesis

3 А Д А Ч А № 7

Please, value thyroid status. Your conclusion should be for four positions.
FT₃ – 1,4 pmol / L, FT₄ - 1,04 pmol / L, TSH - 0,01 mU/L, TPO-Ab- 20.

1. type of disfunction (hypo- or hyperthyroidism)
2. primary (thyroid gland injure) or central (hypophysis injure)
3. manifestal (with clinical symptoms) or subclinical (without symptoms)
4. autoimmune or unimunine genesis

3 А Д А Ч А № 8

Please, value thyroid status. Your conclusion should be for four positions.
FT₄ - 20 pmol/l, TSH - 0,042 mU/L, TPO-Ab- 4,5.

1. type of disfunction (hypo- or hyperthyroidism)
2. primary (thyroid gland injure) or central (hypophysis injure)
3. manifestal (with clinical symptoms) or subclinical (without symptoms)
4. autoimmune or unimunine genesis

3 А Д А Ч А № 9

Please, value thyroid status. Your conclusion should be for four positions.
FT₄ - 10 pmol / L, TSH - 15 mU/L, TPO-Ab- 250.

1. type of disfunction (hypo- or hyperthyroidism)
2. primary (thyroid gland injure) or central (hypophysis injure)
3. manifestal (with clinical symptoms) or subclinical (without symptoms)
4. autoimmune or unimunine genesis

3 А Д А Ч А № 10

Please, value thyroid status. Your conclusion should be for four positions.
FT₄ - 3 pmol / L, TSH - 123 mU/L, TPO-Ab- 25.

1. type of disfunction (hypo- or hyperthyroidism)
2. primary (thyroid gland injure) or central (hypophysis injure)
3. manifestal (with clinical symptoms) or subclinical (without symptoms)
4. autoimmune or unimunine genesis

3 А Д А Ч А № 11

Please, value thyroid status. Your conclusion should be for four positions.
FT₄ - 20 pmol / L, TSH - 3,5 mU/L, TPO-Ab- 1160.

1. type of disfunction (hypo- or hyperthyroidism)
2. primary (thyroid gland injure) or central (hypophysis injure)
3. manifestal (with clinical symptoms) or subclinical (without symptoms)
4. autoimmune or unimunine genesis

3 А Д А Ч А № 12

Please, value thyroid status. Your conclusion should be for four positions.
FT₄ – 7,3 pmol / L, TSH – 0,1 mU/L, TPO-Ab- 3,2.

1. type of disfunction (hypo- or hyperthyroidism)
2. primary (thyroid gland injure) or central (hypophysis injure)
3. manifestal (with clinical symptoms) or subclinical (without symptoms)
4. autoimmune or unimunine genesis

